

Index

A

Accept-reject simulator (AR), 119–24
 importance sampling and, 214
 mixed logit and, 149
 problems with, 123
 smoothed, 124–6
 truncated densities, 212–13
Aggregation, 33–6
Allocation parameter, 96
Alternative-specific constants, 24–5,
 37, 159
Anticipatory behavior, 150
Antithetic draws, 219–21
AR. *See* Accept-reject simulator
Asymptotic distribution, 249
Attraction variables, 58
Automobile demand models, 138
Average conditional distribution,
 272–3

B

BART. *See* Bay Area Rapid Transit (BART)
Base-year shares, 37
Bay Area Rapid Transit (BART), 75–8
Bayes' rule, 265, 288–9
Bayesian methods, 285–317
 hierarchical, 217, 286, 302–7
 mixed logit and, 302–7
 overview of, 287–94
 probit and, 316–17
Berndt-Hall-Hall-Hausman method (BHHH),
 196–200, 261
Bernstein-von Mises theorem, 269–70,
 291–5
BFGS. *See* Broyden-Fletcher-Goldfarb-
 Shanno method
BHHH. *See* Berndt-Hall-Hall-Hausman
 method
Binary logit, 4, 43
Binary probit, 101, 116
Broyden-Fletcher-Goldfarb-Shanno method
 (BFGS), 201–2
Bus-car example, 20–1, 24–5, 51–2,
 57–62

C

California Energy Commission (CEC), 52
Car-bus example, 20–1, 24–5, 51–2, 57
Causal perspective, 3
Central limit theorem, 248–9, 252
Chatter, in simulations, 253
Choice probabilities, 18–21. *See specific
 models*
Choice sets, 15–18
Choleski factor, 211–12
Clark algorithm, 119
College/work model, 173–89
Concavity, 195–7
Conditional distribution, 277–83
 average, 272–3
 derivation of, 265–7
Conditional likelihood function, 69
Constants, recalibration of, 37
Consumer surplus, 59–61
Contingent valuation, 168–70
Convenient error partitioning, 6, 117
Convergence, criterion for, 202–3
Cross-nested logits, 93
Cross-subject variance, 116

D

Davidon-Fletcher-Powell method (DFP),
 201–2
Densities, drawing from, 208–39
Derivatives, 61–4
DFP. *See* Davidon-Fletcher-Powell
 method
Diffuse prior, 300
Dimensionality, curse of, 182
Discrete-continuous models, 9
Double-bounded methods, 169
Dynamic choice models, 55, 118, 150,
 173–86
Dynamic optimization, 173–86

E

Elasticities, 35, 61–4
Electric cars, 52
Elimination by aspects model, 85

332 Index

Energy efficient vehicles, 52
Energy supplier, choice of, 273–83
Exclusivity conditions, 17
Exhaustiveness, 17
Exogenous sample, 64–71
Explanatory variables, 67, 186
Exploded logit, 161–2
Exponential transformation, 85
Extreme value terms, 38, 39

F

Factor-analytic structure, 107
Fishing site model, 151–4
Fixed coefficients, 311–13
Forecasting, 36

G

Generalized autoregressive structure, 107
Generalized extreme-value models (GEV), 22, 80–100
 heteroskedastic logit, 96
 nested logit and, 81–90, 98–100
 ordered, 93
 PCL model and, 94–5, 100
 substitution patterns, 80
Geographic aggregation, 58
GEV. *See* Generalized extreme-value models
Geweke simulator. *See* GHK simulator
GHK simulator, 126–37
 as importance sampler, 135–7
Gibbs sampling, 215, 296–7
 MH algorithm and, 217, 303–6
Global maximum, 203–4
Goodness of fit, 72–3
Goods-leisure tradeoff, 57–62
Gourieroux-Monfort model, 7
Gumbel distribution, 38

H

Hajivassiliou simulator. *See* GHK simulator
Halton sequences, 224–38
 multidimensional, 229
 randomized, 234–5
 scrambled, 236–8
Heating system example, 16, 17, 42, 43, 44
Hessian matrix, 190
 expected, 204–7
 information identity, 205–7
 information matrix, 204–7
Heteroskedastic extreme-value models (HEV), 96
Heteroskedasticity, 29–32
 HEV models, 96
HEV. *See* Heteroskedastic extreme-value models
Hierarchical Bayesian procedures, 302–8
 for probit, 316–17

Hyper-parameters, 308
Hypothesis testing, 74–5

I

Identification, 23–33, 104–10
IIA, 49–54
 advantages of, 52–3
 nested models, 81–2, 92
 probit model, 112–14
 tests of, 53–4
Importance sampling, 213–15
Inclusive value, 87
Independence assumption, 39
Independence from irrelevant alternatives.
 See IIA
Individual-level parameters, 262–84
Information identity, 198, 205–7, 251
Information matrix, 204–7, 251, 292
Initial conditions problem, 118
Integral expressions, 3–6
Inverted gamma, 300
Inverted Wishart, 301

K

Keane simulator. *See* GHK simulator

L

Lagged response, 150
Latent class model, 139
Likelihood function. *See* Log-likelihood
Likelihood ratio index, 72
Limiting distribution, 248–9
Linear regression models, 33–6, 66
Liu-Mahmassani method, 203–4
Local maximum, 203–4
Log-likelihood function, 65, 122, 241
 curvature of, 197–8
 globally concave, 195
 maximization of, 189–207
 simulated, 242
Log-sum term, 60, 87
Logistic distribution, 4, 165–6
Logit model, 21, 38–79
 applicability of, 46
 BART ridership, 75–8
 choice-based samples, 70–1
 consumer surplus, 59–61
 cross-elasticities, 51, 64
 decomposition into, 85–8
 derivation of, 78–9
 exploded logit, 161
 extreme value distribution, 38
 heteroskedastic logit, 96
 IIA, 49–54
 limitations of, 46–56, 101
 log-sum term, 60
 logit-kernel probit, 125
 maximum-likelihood estimator, 64–7

ordered logit, 166
 power of, 46–56
 probability, 41
 smoother, 125
 substitution patterns, 46, 49–51
 taste variation, 46–9
 tests of IIA, 53–4
 Lognormal distributions, 209, 275, 313–14

M

Market-share data, 8, 37
 Markov chain Monte Carlo methods (MCMC), 217
 Maximization methods, 189–207
 Maximum-likelihood estimation, 65–7, 189–90, 241–2, 252–3
 Maximum simulated likelihood (MSL), 122, 240–3, 258–9, 294–5
 MC-squared methods. *See* Markov chain Monte Carlo methods (MCMC)
 MCMC. *See* Markov chain Monte Carlo methods (MCMC)
 Method of moments (MOM), 67, 240–1, 243–5, 253
 Method of simulated moments (MSM), 240, 243–6, 259–60
 Method of simulated scores (MSS), 241, 246–8, 260
 Metropolis-Hastings algorithm (MH), 208, 216–17, 296–7, 305
 Bayesian procedures and, 296–7, 303–6
 Gibbs sampling and, 217, 296–7, 303–6
 MH. *See* Metropolis-Hastings algorithm (MH)
 Mixed logit, 6, 23, 138–54, 302–7
 accept-reject simulator, 149
 Bayesian procedures and, 302–7
 defined, 138–9
 error components, 143–5
 mixed nested logit, 171–2
 mixing distribution, 145–7
 random coefficients, 141–4
 ranked data, 160–3
 relation to probit model, 138
 RUMs and, 145–7
 simulation, 148–9
 substitution patterns, 145
 Mixed models, 170–3
 Mixed nested logit, 171–2
 Mixed probit, 172–3
 Mixing distribution, 139, 140, 145
 ML. *See* Maximum-likelihood method
 MOM. *See* Method-of-moments
 MSL. *See* Maximum simulated likelihood
 MSM. *See* Method of simulated moments
 MSS. *See* Method of simulated scores
 Multi-level nested logits, 90–3, 186
 Multiple ordered responses, 167–8
 Multiresponse probit, 168
 Multivariate ordered probit, 168

N

Nested logit, 80–92, 186
 estimation and, 88–90
 generalized, 95–6
 GEV models and, 80
 IIA, 81–2, 92
 overlapping nests, 93–6
 PCL model, 94–5
 software, 88–90
 substitution patterns, 81–90
 three-level, 90–3
 two-level, 87–90
 Newton-Raphson method, 191–4
 Non-rational model, 174–5
 Non-uniform conditioning, 70
 Nonlinear representative utility, 56–8
 Nonsimulation procedures, for integrals, 119
 Normal densities, 102, 208–9, 211–12
 Choleski factor and, 211–12
 multivariate, 211–12
 transformations of, 209
 Normalization, 25–33, 104–10
 Numerical maximization, 185–207

O

Ordered logit, 166
 Ordered probit, 166
 Ordered responses, 163–8
 Overlapping nests, 144

P

Paired combinatorial logit (PCL) model, 81, 94–5, 100
 Panel data, 54–6, 114–18, 149–51, 173–86
 PCL. *See* Paired combinatorial logit model
 Percent correctly predicted statistic, 73
 Posterior distribution, 288–9, 297–302
 Bernstein-von Mises theorem, 293–4
 drawing from, 296–7
 mean of, 289, 294–6
 Prime numbers, Halton draws and, 224–38
 Probit model, 6, 22, 101–37, 150, 166–8, 170–3, 316–17
 accept-reject simulator for, 119–24
 antithetic draws and, 221
 approximation by mixed logit, 146
 Bayesian procedures and, 316–17
 GHK simulator, 126–37, 172
 identification, 104–10
 IIA, 112–14
 mixed, 138, 172–3
 normalization, 104–10
 random coefficients, 110
 ranked data, 162–3
 route choice, 107
 simulation, 119
 substitution patterns, 112–14
 unobserved utility, 101

334 Index

Proportionate substitution, 51–2
Proposal density, 214, 305
Pseudo-observations, 161

Q

Quadratic functions, 192–3
Quadrature methods, 119
Quasi-random methods, 233, 239. *See also*
Halton sequences

R

Random coefficients, 110–12, 141–3, 144,
262–84, 302–17
Random draws, 208–24
Random utility models (RUMs), 18, 145–7.
See specific models
Ranked data, 160–3
Recalibration, of constants, 37
Regime-switching models, 264
Representative utility, 19
Respondent fatigue, 30
Revealed-preference data, 156–60
Robust covariance matrix, 205
RUMs. *See* Random utility models

S

Sampling, 64–71, 248–9
of alternatives, 68–70
choice-based, 70
exogenous, 64
Sandwich estimator, 205
Scale parameter, 30, 44–6, 157–60
Segmentation, 35–6
Sigmoid shape, 41–2
Simulated log-likelihood function. *See*
Maximum simulated likelihood
Simulated mean of the posterior (SMP), 295
Simulated moments. *See* Method of simulated
moments
Simulated scores. *See* Method of simulated
scores

Site choice model, 152
Smoothing, 124–6, 149
Stated-preference experiments, 54–6, 150,
156–60
Steepest ascent method, 200–1
Step function, 123
Step size, 193–5
Student choice model, 173–89
Substitution patterns, 46, 49–52, 81–2, 101,
112–14, 145
logit model, 46, 49–52
mixed logit, 145
nested logit models, 81–2
probit model, 101, 112–14
proportionate, 51–2
See also specific models
Systematic sampling, 221–4

T

t-statistic, 74
Target density, 214
Taste variation, 46–9, 110–12
Taylor expansion, 191, 195, 200, 252,
256, 257
Triangular density, 314–15
Truncation bias, 10
Type I extreme value distribution, 38

U

Uncertainty, 175, 182–6
Uniform conditioning property, 69
Univariate densities, drawing from, 208–11

V

Variance reduction, 217–39

W

Weibull distribution, 38
White noise, 39–40
Work/college model, 173–89